

MODEL L-65s DIAGRAM WITH CENTER SPEAKER SHELF - PRIMARY CABINET DIMENSIONS

SPECIFICATIONS

MAX WEIGHT CAPACITY : 100 lbs [45.4 kg]
 MAX TRAVEL [EXTENSION] : 38.5 in [97.7 cm]
 LIFT SYSTEM HEIGHT : 30.875 in [78.4 cm] TO 41.875 in [106.4 cm]
 MAX TV + SPEAKER HEIGHT : 37.25 in [94.6 cm] MINUS LID THICKNESS
 MAX SWIVEL RANGE : +/- 180°

QUICK REFERENCE DIMENSION GUIDE (USE WHICHEVER IS GREATER)

TV DIMENSIONS : W _____, H _____, D _____

SOUNDBAR DIMENSIONS : SW _____, SH _____, SD _____


MIN. INTERIOR CABINET WIDTH : $W+2$ in [5.1 cm] = _____ OR $SW+2$ in OR 29.5 in [74.9 cm]
 MIN. LID CUTOUT WIDTH

MIN. INTERIOR CABINET HEIGHT : $H+SH+2.5$ in [6.4 cm] = _____ OR 31.125 in [79 cm]

MIN. INTERIOR CABINET DEPTH : $D+6.875$ in [17.5 cm] = _____ OR $SD+5.75$ in [14.6 cm] _____ OR 10.25 in [26 cm]
 MIN. LID CUTOUT DEPTH


MIN. LID CUTOUT WIDTH = $W + 2$ in [5.1 cm] OR $SW + 2$ in [5.1 cm] OR 29.5 in [74.9 cm]
 WHICHEVER IS GREATER

MIN. LID CUTOUT DEPTH =
 $D + 6.875$ in [17.5 cm] OR $SD + 5.75$ in [14.6 cm] OR 10.25 in [26 cm]
 WHICHEVER IS GREATER



MIN. INTERIOR CABINET WIDTH = $W + 2$ in [5.1 cm] OR $SW + 2$ in [5.1 cm] OR 29.5 in [74.9 cm]
 WHICHEVER IS GREATER

MIN. INTERIOR CABINET HEIGHT =
 $H + SH + 2.5$ in [6.4 cm] OR 31.125 in [79 cm]
 WHICHEVER IS GREATER



MIN. LID CUTOUT DEPTH =
 $D + 6.875$ in [17.5 cm] OR $SD + 5.75$ in [14.6 cm] OR 10.25 in [26 cm]
 WHICHEVER IS GREATER


NOTES:

1. THE CABINET BOX SHOWN IN THE DIAGRAM IS FOR REFERENCE ONLY AND IS NOT PROVIDED WITH THE LIFT SYSTEM
2. WHEN DETERMINING TV HEIGHT, ALWAYS USE MANUFACTURER SUPPLIED "TV WITHOUT STAND" HEIGHT
3. LIFT MECHANISM IS POWDER COATED BLACK STEEL, COLORS IN DIAGRAM ARE FOR CLARITY ONLY

NEXUS₂₁

COPYRIGHT 2023 - ALL RIGHTS RESERVED
 UPDATED 1/4/24

MODEL L-65s DIAGRAM WITH CENTER SPEAKER SHELF - CABINET REFERENCE DIMENSIONS



NOTES:

1. LID SUPPORTS ALLOW LID PLATE TO BE ADJUSTED FLUSH WITH UNDERSIDE OF LID
2. LID ADAPTER PLATE ALLOWS LID TO FLOAT WITH THE USE OF LID CATCHES
3. MINIMUM SEAM CAN BE REDUCED TO 0.0625 in [0.2 cm] WITH A 45 DEGREE BEVEL ON THE EDGES OF THE LID

NEXUS₂₁

COPYRIGHT 2023 - ALL RIGHTS RESERVED
UPDATED 1/4/24