


MODEL XL-85 DIAGRAM WITH SOUNDBAR - PRIMARY CABINET DIMENSIONS

SPECIFICATIONS (CENTIMETERS ARE REPRESENTED BY [])

MAX TV SIZE : 86"
 MAX WEIGHT CAPACITY : 175 LBS [79.4 KG]
 MAX TRAVEL [EXTENSION] : 65" [165.1]
 LIFT SYSTEM HEIGHT : 39.25" [99.7] TO 53.875" [136.8]
 MAX TV + SOUNDBAR HEIGHT: 64" [162.6] MINUS LID THICKNESS

QUICK REFERENCE DIMENSION GUIDE (USE WHICHEVER IS GREATER)

TV DIMENSIONS : W____, H____, D____
 SOUNDBAR DIMENSIONS : SW____, SH____, SD____
 MIN. INTERIOR CABINET WIDTH : W + 2" [5.1] OR SW + 2" [5.1] = ____ OR 32.5" [82.6]
 MIN. LID CUTOUT WIDTH : W + 2" [5.1] OR SW + 2" [5.1] = ____ OR 32.5" [82.6]
 MIN. INTERIOR CABINET HEIGHT : H + SH + 3.5" [8.9] = ____ OR 39.375" [100]
 MIN. INTERIOR CABINET DEPTH : D + 7.625" [19.4] OR SD + 7.75" [19.7] = ____
 MIN. LID CUTOUT DEPTH : D + 7.625" [19.4] OR SD + 7.75" [19.7] = ____
 PLATFORM HEIGHT : INTERIOR CABINET HEIGHT MINUS 53.375" [135.6]




NOTES:

1. THE CABINET BOX SHOWN IN THE DIAGRAM IS FOR REFERENCE ONLY AND IS NOT PROVIDED WITH THE LIFT SYSTEM
2. WHEN DETERMINING TV HEIGHT, ALWAYS USE MANUFACTURER SUPPLIED "TV WITHOUT STAND" HEIGHT
3. LIFT MECHANISM IS POWDER COATED BLACK STEEL, COLORS IN DIAGRAM ARE FOR CLARITY ONLY
4. LIFT ENCLOSURE'S REAR PANEL SHOULD BE CONSTRUCTED TO WITHSTAND A HORIZONTAL LOAD OF 600 LBS [272.2 kg] OR MORE

NEXUS 21

COPYRIGHT 2020 - ALL RIGHTS RESERVED
UPDATED 9/2/20

MODEL XL-85 DIAGRAM WITH SOUNDBAR - CABINET REFERENCE DIMENSIONS



NOTES:


1. LID SUPPORTS ALLOW LID PLATE TO BE ADJUSTED FLUSH WITH UNDERSIDE OF LID
2. LID ATTACHMENT PINS ALLOW LID TO FLOAT WITH THE USE OF LID CATCHES
3. MINIMUM SEAM CAN BE REDUCED TO 0.0625" [0.2] WITH A 45 DEGREE BEVEL ON THE EDGES OF THE LID

NEXUS₂₁


COPYRIGHT 2020 - ALL RIGHTS RESERVED
UPDATED 9/2/20

If Installing Lift Under Floor, You **MUST** Make the Following Modifications

Correct Installation



Incorrect Installation



Notes:

1. The lid should be constructed so that it is supported by the walls of the cabinet on all four sides
2. If you have any questions about this please contact our support team at 4803065462