


MODEL XL-85s DIAGRAM

WITH HINGED TOP GUIDES & SOUNDBAR - PRIMARY CABINET DIMENSIONS


SPECIFICATIONS (CENTIMETERS ARE RESPRESENTED BY [])	QUICK REFERENCE DIMENSION GUIDE (USE WHICHEVER IS GREATER)
MAX TV SIZE : 86"	TV DIMENSIONS : W____, H____, D____
MAX WEIGHT CAPACITY : 175 LBS [79.4 KG]	SOUNDBAR DIMENSIONS : SW____, SH____, SD____
MAX TRAVEL [EXTENSION] : 65" [165.1]	MIN. INTERIOR CABINET WIDTH : W + 2" [5.1] OR SW + 2" [5.1] = ____ OR 32.5" [82.6]
LIFT SYSTEM HEIGHT : 43" [109.2] TO 57.625" [146.4]	MIN. LID CUTOUT WIDTH :
MAX TV + SOUNDBAR HEIGHT : 46" [116.8]	MIN. INTERIOR CABINET HEIGHT : SEE CHART ON PAGE 2
MIN TV WEIGHT : 55 lbs [24.9 kg]	MIN. INTERIOR CABINET DEPTH : D + 11.5" [29.2] OR SD + 11.625" [29.5] = ____
MAX LID WEIGHT : 60 lbs [27.2 kg]	MIN. LID CUTOUT DEPTH : D + 11.5" [29.2] OR SD + 11.625" [29.5] = ____
MANUAL SWIVEL RANGE : +/- 180 °	MIN. LID CUTOUT DEPTH : CANNOT EXCEED 15.5" [39.4]



- NOTES:
- 1. THE CABINET BOX SHOWN IN THE DIAGRAM IS FOR REFERENCE ONLY AND IS NOT PROVIDED WITH THE LIFT SYSTEM
 - 2. LIFT MECHANISM IS POWDER COATED BLACK STEEL, COLORS IN DIAGRAM ARE FOR CLARITY ONLY
 - 3. LIFT WILL NOT OPERATE WHEN SWIVELED OUTSIDE OF HOME POSITION
 - 4. LIFT ENCLOSURE'S REAR PANEL SHOULD BE CONSTRUCTED TO WITHSTAND A HORIZONTAL LOAD OF 600 LBS [272.2 kg] OR MORE

MODEL XL-85s DIAGRAM

WITH HINGED TOP GUIDES & SOUNDBAR - PRIMARY CABINET DIMENSIONS - CONTINUED



- IMPORTANT NOTES:
- 1. HEIGHT LIMIT INSERT IS NOT COMPATIBLE WITH THIS LIFT; FULL EXTENSION MUST BE USED
 - 2. MAX TRAVEL FOR THIS SYSTEM IS 65" [165.1]
 - 3. CENTER RISER WILL BE EXPOSED REGARDLESS OF CABINET SIZE
 - 4. MAXIMUM SOUND BAR TO LID GAP = 63.5" [161.3] MINUS "TV HEIGHT" MINUS "SOUNDBAR HEIGHT" MINUS "LID DEPTH" MINUS "LID THICKNESS"

MINIMUM REQUIRED TRAVEL TABLE	
TV + SOUNDBAR HEIGHT	MINIMUM REQUIRED TRAVEL before TV can be swiveled
32" TO 46" [81.3 TO 116.8]	MUST TRAVEL TO FULL EXTENSION 65" [165.1]


INTERIOR CABINET HEIGHT TABLE		
TV + SOUNDBAR HEIGHT	MIN INTERIOR CABINET HEIGHT	MAX INTERIOR CABINET HEIGHT
32" [81.3]	43" [109.2]	54.625" [138.7]
33" [83.8]		55.625" [141.3]
34" [86.4]		56.625" [143.8]
35" [88.9]		57.625" [146.4]
36" [91.4]		57.625" [146.4]
37" TO 46" [94 TO 116.8]	TV + SOUNDBAR HEIGHT + 6.5" [16.5]	57.625" [146.4]

FOR TV HEIGHT, ALWAYS USE MANUFACTURER SUPPLIED
"TV WITHOUT STAND" HEIGHT

NEXUS21

COPYRIGHT 2021 - ALL RIGHTS RESERVED
UPDATED 2/23/24

MODEL XL-85s DIAGRAM WITH HINGED TOP GUIDES & SOUNDBAR - CABINET REFERENCE DIMENSIONS



NOTES:


1. LID SUPPORTS ALLOW LID PLATE TO BE ADJUSTED FLUSH WITH UNDERSIDE OF LID
2. THE LIFT SYSTEM MUST BE SPACED A MINIMUM OF 3" [7.6] AWAY FROM THE HINGE POINT REGARDLESS OF CABINET DEPTH
3. MINIMUM SEAM CAN BE REDUCED TO 0.0625" [0.2] WITH A 45 DEGREE BEVEL ON THE EDGES OF THE LID

NEXUS₂₁


COPYRIGHT 2021 - ALL RIGHTS RESERVED
UPDATED 2/23/24

If Installing Lift Under Floor, You **MUST** Make the Following Modifications

Correct Installation



Incorrect Installation



Notes:

1. The lid should be constructed so that it is supported by the walls of the cabinet on all four sides
2. If you have any questions about this please contact our support team at 4803065462